

# RG-RAP6202(G) REYEE Wi-Fi 5 AC1300 Outdoor Omni-directional Access Point



**Kode** : RG-RAP6202(G)

**Brand** : Ruijie - Reyee

**Jenis** : Wireless Outdoor

**Harga** : Rp 1.689.000,00

RG-RAP6202(G) Ruijie Reyee Wi-Fi 5 AC1300 Outdoor Omni-directional Access Point. Rock-solid in Harsh Environments with IP68 Protection. Adopts completely sealed, waterproof, dustproof, moisture proof and flame-retardant, wind erosion protection, Wide Temperature range, and 4kV surge protection design. Built-in 4 high gain antennas, supports full coverage with radius of 100 meters at 2.4GHz, and 300 meters at 5GHz\*.

**\*Belum termasuk adaptor dan poe injector**

**Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.**

Penawaran Harga Spesial

 **08112039555**

- 'UFO' design, a perfect blend of wireless technology and artwork
- IP68 protection, rock-solid in harsh environments
- Omni-directional coverage with long range
- Easily add extra outdoor Wi-Fi with Reyee Mesh
- Rack-separated mounting design, easily installation on high



### Specification

<b>Model</b>	RG-RAP6202(G)
<b>Protocol</b>	Wi-Fi 5 (IEEE 802.11ac Wave2) Wi-Fi 4 (IEEE 802.11n)
<b>Antenna</b>	Built-in Omnidirectional Antennas (2.4GHz: 3 dBi; 5GHz: 4 dBi)
<b>Spatial Streams</b>	2.4 GHz: 2x2 MU-MIMO 5 GHz: 2x2 MU-MIMO
<b>Max Throughput</b>	Up to 400 Mbps at 2.4 GHz Up to 867 Mbps at 5 GHz
<b>Service Ports</b>	2x 10/100/1000 Base-T
<b>Power Supply</b>	802.3af/802.3at PoE, local power supply, DC 12V/1.5A (Note: The power adapter is sold as an optional accessory)
<b>Power Consumption</b>	≤ 12.95 W
<b>Operating temperature</b>	-30°C-65°C
<b>Storage temperature</b>	-40°C-85°C
<b>MTBF</b>	>250000H

<b>Maximum number of clients</b>	110
<b>Recommended number of clients</b>	96
<b>Maximum Number of SSIDs</b>	8

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1021/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**

[www.citraweb.com](http://www.citraweb.com)