

RG-RAP6262(G) Wi-Fi 6 AX1800 Outdoor Omni-directional Access Point



Kode : RG-RAP6262(G)

Kategori : Ruijie

Harga : Rp 2.069.000,00

RG-RAP6262(G) Wi-Fi 6 AX1800 Outdoor Omni-directional Access Point. Rock-solid in Harsh Environments with IP68 Protection. Adopts completely sealed, waterproof, dustproof, moisture proof and flame-retardant, wind erosion protection, Wide Temperature range, and 4kV surge protection design. Built-in 4 high gain antennas, supports full coverage with radius of 100 meters at 2.4GHz, and 300 meters at 5GHz*.

***Belum termasuk adaptor dan poe injector**

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

- 'UFO' design, a perfect blend of Wi-Fi 6 technology and artwork
- IP68 protection, rock-solid in harsh environments
- Omni-directional coverage with long range
- Easily add extra outdoor Wi-Fi with Reyee Mesh
- Rack-separated mounting design, easily installation on high



Specification

Model	RG-RAP6262(G)
Protocol	Wi-Fi 6 (IEEE 802.11ax) Wi-Fi 5 (IEEE 802.11ac Wave2) Wi-Fi 4 (IEEE 802.11n)
Antenna	Built-in Omnidirectional Antennas (2.4GHz: 3 dBi; 5GHz: 4 dBi)
Spatial Streams	2.4 GHz: 2x2 MU-MIMO 5 GHz: 2x2 MU-MIMO
Max Throughput	Up to 574 Mbps at 2.4 GHz Up to 1201 Mbps at 5 GHz
Service Ports	2x 10/100/1000 Base-T
Power Supply	IEEE 802.3at PoE, DC 12V/1.5A (Note: The power adapter is sold as an optional accessory)
Power Consumption	≤ 18 W
Operating temperature	-30°C-65°C
Storage temperature	-40°C-85°C
MTBF	>250000H
Maximum number of clients	256
Recommended number of clients	100
Maximum Number of SSIDs	8

[Download Datasheet](#)

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : <https://www.citraweb.com/produk/1022/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com