CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

Pro 24 PoE UNIFI UBIQUITI 24-Port POE++ Switch with SFP+ Uplink


Kode : USW-PRO-24-POE
Brand : Ubiquiti
Jenis : Switch Managed POE
Harga : Rp 14.900.000,00



USW-PRO-24-POE UniFi 24-port GbE Layer 3 switch with 16-port GbE PoE+, 8-port GbE PoE++ and 2-port SFP+ 10G.

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran **Harga Spesial**
08112039555



*Require UniFi Power Backup.

www.citraweb.com

Specification

Model	USW-PRO-24-POE

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

Ports	1 GbE RJ45 : 24 (16 PoE+; 8 PoE++) 10G SFP+ : 2
Total PoE Availability	400W
Max. PoE Wattage per Port by PSE	PoE : 15.4W PoE+ : 32W PoE++ : 64W
Layer Type	Layer 3
Switching capacity	88 Gbps
Total Non-Blocking Throughput	44 Gbps
Forwarding rate	65 Mpps
Supported VLANs	1000
MAC address table	16000
L3 Table Size	ARP Entries : 768 IPv4 Routes : 64
Packet Buffer Size	2 MB
Dimensions (W x D x H)	442 x 285 x 44 mm
Max. Power Consumption	50W (Excluding PoE Output) 450W (Including PoE Output)
Power Method	(1) Universal input, 100—240V AC, 50/60 Hz (1) USP RPS DC input
Power Input Method	AC input
Power Supply	AC/DC, internal, 450W
Supported Voltage Range	100—240V AC
Management	Ethernet AR
Heat Dissipation (Excluding PoE Output)	170.6 BTU/hr
Enclosure Material	SGCC steel
Supported Rack Depth	400~1200 mm (15.7-47.2")
LCM Display	1.3" touchscreen
ESD/EMP Protection	Air: ± 16kV, contact: ± 12kV
Ambient Operating Temperature	-5 to 40 C (23 to 104 F)
Ambient Operating Humidity	10 to 90% noncondensing
Certifications	CE, FCC, IC

www.citraweb.com

Download Datasheet

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/1340/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com