

# Embedded RB411U (A+G) 20dbi - rev2



**Kode** : EM411U-5X-r2  
**Kategori** : Discontinued  
**Harga** : Rp 2.575.000,00

RouterBoard 411U (Lisensi Level 4CF-AP) dengan Wireless MiniPCI yang dipadukan dengan embedded antenna 5GHz 20dbi, menghasilkan unit wireless yang ringkas. Sudah termasuk adaptor 24V dan PoE.

## Detail Barang:

- Routerboard 411U dengan outdoor box dan embedded antenna 5GHz
- 1 port ethernet (1 untuk PoE)
- 1 slot minipci
- 1 buah Atheros MiniPCI Wireless 802.11a+b+g 54Mbps 2.4/5GHz 350mW
- 1 Insulator Ethernet
- Power Adaptor 24V
- Power over Ethernet Splitter
- Pole mounting bracket
- Lisensi Mikrotik RouterOS AP - Level 4 /CF


## Spesifikasi RB411U

Product Code	RB411U
Architecture	MIPS-BE
CPU	AR7130 300MHz
Current Monitor	No
Main Storage/NAND	64MB
RAM	32MB
SFP Ports	0
LAN Ports	1
Gigabit	No
Switch Chip	No
MiniPCI	1
Integrated Wireless	No
MiniPCle	1
SIM Card Slots	1
USB	1

Power on USB	Yes
Memory Cards	No
Power Jack	10-28V
802.3af Support	No
POE Input	10-28V
POE Output	No
Serial Port	DB9/RS232
Voltage Monitor	No
Temperature Sensor	No
Dimentions	150mm x 105mm
Operating System	RouterOS
Temperature Range	-30C .. +60C
RouterOS License	Level4

**Embedded Antenna & Enclosure Specifications:**

- **Frequency:** 5400-5850MHz
- **Antenna Gain:** 20 dbi
- **VSWR:** 1.5:1
- **Impedance:** 50 Ohm
- **Operating Temperature:** -45 to 80 deg C
- **Beam Width (H):** 18 Deg
- **Beam Width (V):** 18 Deg
- **Dimmentions (outer):** 280mm (L) x 265mm (w) x 95mm (d)
- **Weight:** 2.85 kg



\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/509/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)