

Embedded RB411AH (A+G) 20dbi - rev2

**Kode** : EM411AH-5X-r2**Kategori** : Discontinued**Harga** : Rp 2.835.000,00

RouterBoard 411AH (Lisensi Level 4CF-AP) dengan Wireless MiniPCI yang dipadukan dengan embedded antenna 5GHz 20dbi, menghasilkan unit wireless yang ringkas. Sudah termasuk adaptor 24V dan PoE.

Detail Barang:

- Routerboard 411AH dengan outdoor box dan embedded antenna 5GHz
- 1 port ethernet (1 untuk PoE)
- 1 slot minipci
- 1 buah Atheros MiniPCI Wireless 802.11a+b+g 54Mbps 2.4/5GHz 350mW
- 1 Insulator Ethernet
- Power Adaptor 24V
- Power over Ethernet Splitter
- Pole mounting bracket
- Lisensi Mikrotik RouterOS AP - Level 4 /CF


Spesifikasi RB411AH

Product Code	RB411AH
Architecture	MIPS-BE
CPU	AR7161 680MHz
Current Monitor	No
Main Storage/NAND	64MB
RAM	64MB
SFP Ports	0
LAN Ports	1
Gigabit	No
Switch Chip	No
MiniPCI	1
Integrated Wireless	No
MiniPCle	0

SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	10-28V
802.3af Support	No
POE Input	10-28V
POE Output	No
Serial Port	DB9/RS232
Voltage Monitor	No
Temperature Sensor	No
Dimentions	105mm x 105mm
Operating System	RouterOS
Temperature Range	-30C .. +60C
RouterOS License	Level4

Embedded Antenna & Enclosure Specifications:

- **Frequency:** 5400-5850MHz
- **Antenna Gain:** 20 dbi
- **VSWR:** 1.5:1
- **Impedance:** 50 Ohm
- **Operating Temperature:** -45 to 80 deg C
- **Beam Width (H):** 18 Deg
- **Beam Width (V):** 18 Deg
- **Dimmensions (outer):** 280mm (L) x 265mm (w) x 95mm (d)
- **Weight:** 2.85 kg



* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/510/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com