

GrooveG 52HPacn (CPE 2GHz/5Ghz)



Kode : RBGrooveG-52HPacn


Kategori : Discontinued

Harga : Rp 1.186.000,00


The New Groove still smallest outdoor series model - a fully featured RouterBOARD powered by RouterOS. Weatherproof, durable and ready to use. It has one Gigabit Ethernet port with PoE support and a built-in 400mW 802.11a/b/g/n/ac wireless radio. With the Nv2 TDMA technology, 125Mbit aggregate throughput is possible, limited only by the ethernet port! Tidak bisa digunakan sebagai access point, hanya sebagai CPE atau point to point.

Jika Anda akan menghubungkan Groove dengan antenna menggunakan kabel jumper N-Male to N-Male, mungkin Anda juga membutuhkan [Connector N-Female to N-Female](#).

Pemasangan Groove yang kurang tepat :



Pemasangan Groove yang direkomendasikan :



Spesifikasi RBGrooveG-52HPacn

| | |
|---------------------|-------------------|
| Product Code | RBGrooveG-52HPacn |
| Architecture | MIPS-BE |
| CPU | QCA9556 720MHz |
| Current Monitor | No |
| Main Storage/NAND | 16MB |
| RAM | 64MB |
| SFP Ports | 0 |
| LAN Ports | 1 |
| Gigabit | Yes |
| Switch Chip | No |
| MiniPCI | 0 |
| Integrated Wireless | Yes |
| Wireless Standarts | 802.11 a/b/g/n/ac |
| Wireless Tx Power | 26dBm |
| Integrated Antenna | No |
| MiniPCle | 0 |
| SIM Card Slots | No |
| USB | No |
| Memory Cards | No |
| Power Jack | No |
| 802.3af Support | No |

| | |
|--------------------|--------------|
| POE Input | 9-30V |
| POE Output | No |
| Serial Port | No |
| Voltage Monitor | Yes |
| Temperature Sensor | Yes |
| Dimensions | 177x44x44mm |
| Operating System | RouterOS |
| Temperature Range | -30C .. +70C |
| RouterOS License | Level3 |

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/598/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com