

Solar Charger SCC-600MPPT



Kode : SCC-600MPPT

Brand : Maruson

Jenis : Power Inverter

Harga : Rp 1.890.000,00

Rp 2.225.000,00

SCC-600MPPT adalah sebuah solar charger controller dengan kapasitas 600watt dan kemampuan charging 25A. Produk ini bisa digunakan pada battery 12/24v (auto sensing).

*tidak termasuk battery

****Gunakan battery yang dirancang untuk SHS (Solar Home System) / Deep-cycle VRLA**

Penawaran Harga Spesial

 **08112039555**











www.citraweb.com





Features :

- Intelligent continuous maximum power point tracking technology
- Microprocessor controlled
- Automatic battery voltage detection
- Three-stage charging optimizes battery performance
- Auto load detection
- Multifunction LCD displays detailed information
- Reverse polarity protection of solar panel and battery
- Short circuit and overload protection
- Optional IP 43 protection for outdoor and harsh environment
- Optional RS-232/RJ45 ports for remote monitoring

Battery Recommendation :

- Solar Home System Battery
- Deep Cycle VRLA Battery
- VRLA Gel / AGM Battery

Specification :

| | |
|--------------|--------------------|
| Model | SCC-600MPPT |
| | |

| INPUT | |
|---|---|
| MPPT Range @ Operating Voltage | 30 V ~ 66 V @ 24V |
| Max PV Array Open Circuit Voltage | 75 V |
| Max PV Array Power | 600W |
| Max Current | 18 A |
| OUTPUT | |
| Nominal Battery Voltage | 24 V |
| Connected Battery Type | Sealed lead acid, vented, Gel, NiCd battery |
| Max Charging Current | 25 A |
| Ripple Voltage | < +/- 1 V |
| Max Efficiency | 97.80% |
| Standby Power Consumption | 2 W |
| Charging Method | Three stages : bulk, absorption, and floating |
| PROTECTION | |
| Overload Protection | > 110% : audible alarm |
| Overcharge Protection | Yes |
| Polarity Reversal Protection @ Solar Cell & Battery | Yes |
| INDICATOR | |
| LCD Panel | LCD panel indicating solar power, output power, battery voltage, charging current, and fault conditions |
| LED Display | Three indicators for solar, charging, and load status |
| PHYSICAL | |
| Dimension (DxWxH) mm | 220 x 170 x57.5 |
| Net Weight kg | 2 |
| Connector | Input/Output terminal block |
| Type of Mechanical Protection | IP 43 |

Manual : [SCC-600MPPT-Manual.pdf](#)

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : <https://www.citraweb.com/produk/760/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com