CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

On Line UPS PlusPRO 1 2000VA/1800Watt



Kode : PLUSPRO1-2000G(B)
Brand : Aplus
Jenis : UPS
Harga : Rp 5.300.000,00
~~Rp 6.700.000,00~~

PlusPro 1-2000G adalah produk dari APlus UPS System dengan rating 2000VA/1800Watt yang memiliki desain tower dan juga fitur "Easy Battery Extender".
Dilengkapi dengan external battery connector (Anderson connector) sehingga memungkinkan pengguna untuk mudah melakukan penambahan battery jika menginginkan backup time lebih lama.

***Penjualan produk ini termasuk battery**
***Pengiriman hanya jalur darat dan area pulau jawa**
***Garansi 1 Tahun**
***Garansi battery 1 bulan**

Penawaran Harga Spesial
08112039555

Features :

- High-performance true double-conversion On-Line UPS 2000VA
- External battery connector (Anderson Connector) to extend the backup time
- Microprocessor control guarantees high reliability
- Low heat dissipation in long-time operation
- Emergency power-off function (EPO)
- USB multiple communications
- Automatic self-testing function
- High-efficiency mode (ECO mode)
- Output voltage regulation +/- 2%
- Power management software
- Output power factor 0.9
- Wide input range
- Fan speed control
- DC start

www.citraweb.com

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com



citraweb.com

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com



www.citraweb.com

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com



Battery Type :

- VRLA 12V/9AH or VRLA 12V/7.2AH
- 4 pcs (VRLA 12V/9AH included)
- **Battery dimension 151 x 65 x 100 mm**

Specification :

Model	**2KVA**
Power	**2000VA**
Input	
Normal Current (@230V/battery recharged fully)	**8.7A**
Voltage Range	**100~300VAC**
Frequency Range	**45 ~ 55Hz @ 50Hz system 54 ~ 66Hz @ 60Hz system**
Current Distortion(THDi)	**<5% (typical) @ 100% linear load**
Output	
Voltage	**200/208/220/230/240 ± 2%**
Frequency (battery mode)	**50/60Hz ± 0.05Hz**
Current Crest Ratio	**3:01**
Voltage Distortion (THDv)	**< 1% @ linear load, < 5%@ non-linear load**
Output Waveform	**Pure sine wave**
Efficiency	
Inverter Mode	**> 90%**
ECO Mode	**> 97%**
Battery	
Rated Battery Voltage	**48VDC**
Battery Type	**12V/9AH**
Number of Internal Battery	**4**
Backup Time (@ Full Load)	**> 3.5 mins**
Recharge Time (to 90%)	**4 hours**

www.citraweb.com

Ambient Temperature	**0°C ~ 40°C**
Storage Temperature	**-25°C ~ 55°C**
Noise Level	**40dB @1 meter**
Altitude	**< 1000m**
	(The load no derating)
	1000m < Altitude ≤ 3000m
	(The load should derating 1 % for every up 100m)
Relative Humidity	**<95%**

External Battery Installation :



- 48VDC Battery (Recommendation VRLA type Battery)

Manual :

PLUSPRO1-Manual

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/964/

www.citraweb.com

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com